Indiana series

Item no.: **INDI70170 1250 05 EC**

# Compact 1310 mm convenience cooler

Quiet, energy-efficient and space-saving convenience cooler

## Dimensions, volume and weight

| | |
|---|---|
| External dimensions (WxDxH) | 1310 x 700 x 1700 mm |
| Internal dimensions (WxDxH) | 1250 x 480 x 1250 mm |
| Package dimensions (WxDxH) | 1500 x 1040 x 1960 mm |
| Display area | 1.36 m² |

## Performance and consumption

| | |
|---|---|
| Cooling temperature interval | -1 to 5 °C |
| Climate class | 3 |
| Energy consumption (kWh/year) | 1560 kWh/year |
| Energy consumption (kWh/day) | 4.27 kWh/day |
| Noise level | 60 dB(A) |
| Temperatur class | M1 |
| Execution | Ventilated |

## Technical cooling specifications

| | |
|---|---|
| Defrosting | Automatic |
| Defrosting, type | Natural |
| Refrigerant | R290 |

## Connection

| | |
|---|---|
| Input power | 322 W |
| Frequency | 50 Hz |
| Phases | 1 |
| Current | 2.3 A |
| Voltage | 230 V |

## Design and materials

| | |
|---|---|
| Door | Hinged glass door |
| Doorframe | Frameless |
| Exterior | Black / RAL 9005 |
| Doors, numbers | 2 pcs. |
| Panel type | Sandwich w. mirror |
| Handels | Yes |
| Interior | Black / RAL 9005 |
| Controller | Electronic |
| Horizontal light, no. | 1 pcs. |
| Vertical light, no. | 2 pcs. |
| Door, features | Soft-close and self-close |
| Internal light | Yes |
| Horizontal light, type | LED light at the top |
| Vertical light, type | LED light along the door frame |

## Equipment

| | |
|---|---|
| Number of shelfes | 4 pcs. |
| Shelf, width | 1250 mm |
| Shelf, depth | 400 mm |
| Bottom shelf, width | 1250 mm |
| Bottom shelf, depth | 480 mm |
| Feet and legs | Adjustable screws |
| Shelf, type | Plate shelf |

## Approvals and standards

| | |
|---|---|
| EEI indeks | 15.7 % |
| Energy classification | B |