



Item no.: OSC 100S SS FSD

Robust and durable selfservice convenience cooler

With automatic defrost and LED lighting



### Dimensions, volume and weight

Net volume	281 l
External dimensions (WxDxH)	950 x 755 x 1365 mm
Internal dimensions (WxDxH)	894 x 640 x 730 mm
Package dimensions (WxDxH)	1050 x 950 x 1600 mm
Display area	0.95 m <sup>2</sup>
Gross Weight	210 kg
Net weight	195 kg

### Performance and consumption

Cooling temperature interval	-1 to 5 °C
Climate class	3
Energy consumption (kWh/year)	2227 kWh/year
Energy consumption (kWh/day)	6.1 kWh/day
Noise level	60 dB(A)
Temperature class	M1
Execution	Ventilated

## Technical cooling specifications

Defrosting	Automatic
Refrigerant, charge	115 g
Refrigerant	R290

## Connection

Input power	842 W
Frequency	50 Hz
Phases	1
Current	3.7 A
Voltage	230 V

## Design and materials

Door	Sliding glass door
Reversible door	No
Exterior	Black / RAL 9005
Doors, numbers	4 pcs.
Panel type	Glass
Interior	Black
Light, effect	44 W
Controller	Electronic
Horizontal light, no.	4 pcs.
Door, features	Soft-close and self-close
Horizontal light, type	LED light at the top and under the shelf

## Equipment

Number of shelves	3 pcs.
Shelf, width	890 mm
Shelf, depth	450 mm
Bottom shelf, width	890 mm
Bottom shelf, depth	500 mm
Feet and legs	Adjustable screw feet
Shelf, type	Glass shelf

## Accessories, Pans

---

## Approvals and standards

---

EEl indeks

38 %

Energy classification

D